






Alberti
Live Tools
Selection Guide

COMPATIBLE WITH HT30MC | HT30Y | HT30SY




STRAIGHT TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
AF-1510	Standard	GH-44323-00	ER-32	-	6,000
AF-1510C	Coolant Thru	GH-44617-00	ER-32	-	6,000



90° TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
AF-1513	Standard	GH-44324-00	ER-32	45	6,000
AF-1513C	Coolant Thru	GH-44621-00	ER-32	45	6,000




DUAL OUTPUT 90° TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
AF-1513-2U	Standard	GH-44325-00	ER-32/32	45	6,000

Coolant Pressure = 70 Bar/1050 PSI • RPM = Maximum • Torque = Nm


COMPATIBLE WITH

FT-200MC | FT-250MC | FT-350MC | FT-350MCAL




STRAIGHT TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
AMF05000285	Standard	GH-44904-00	ER-32	-	6,000
AMF05000285C	Coolant Thru	GH-44931-00	ER-32	-	6,000




90° TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
AMF05000286	Standard	GH-44905-00	ER-32	45	6,000
AMF05000286C	Coolant Thru	GH-44932-00	ER-32	45	6,000



DUAL OUTPUT 90° TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
AMF05000287	Standard	GH-44933-00	ER-32/32	45	6,000



ADJUSTABLE TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
MCU-2.5	Standard	GH-45159-00	ER-25	45	6,000

Coolant Pressure = 70 Bar/1050 PSI • RPM = Maximum • Torque = Nm



Tel: 1.800.249.5662
Fax: 860.623.4132

info@komaprecision.com
www.komaprecision.com

20 Thompson Road
East Windsor, CT 06088